## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Nate of filing in State Engineer's Office	OV 0 4 1994			
Returned to applicant for correction	•			
Corrected application filed	ı		POD under 49954 filed 30 Jun	86
		· ·		

Corrected application filed	Map filed POD under 49954 filed 30 J
The applicant The Town of Minden	
Post Office Box 205 Street and No. or P.O. Box No.	of Minden
	City or Town
Nevada 89423 State and Zip Code No.	hereby make. S application for permission to change the
Place of Use Point of diversion,	manner of use, and/or place of use
of water heretofore appropriated under Permit 499	254 xisting right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
identity c	xising fight by Perfilit, Certificate, Proof of Claim Nos. If Decreed, give the of Decree and
identify right in Decree.	
	· · · · · · · · · · · · · · · · · · ·
• •	
1. The source of water is Underground - Well No	No. 1 ame of stream, lake, underground spring or other source.
•	Scoond feet, acre feet. One second foot equals 448.83 gallons per minute.
a mu Mumiainal	
	er, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for Municipal Irrigation	n, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point.	SEXSWX Section 29, T.13 N., R.20 E., Describe as being within a 40-acre subdivision of public survey and by course and
	South one-quarter corner of Section 30.
·	<i>y.</i>
L. 13 N., R. 20 E., MDB&M, bears So: West, 4,429 feet.	uth 84°36' West, 4,459 feet and South 85°14'
6. The existing permitted point of diversion is locate	ed within No change If point of diversion is not changed, do not answer
7. Proposed place of use See attachment Describe by leg	al subdivisions. If for irrigation state number of acres to be irrigated.
	<u>i</u>
	C OF Till N. D. 10 F. Fly moution
	Section 25, T.13 N., R.19 E.: Els. portion as If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
of Wk Section 30. Wk WkEk Section manner of use of irrigation permit, describe acreage to be removed from	29. NKNEK. portion NEKNWK Section 31. NWKNWK.
	.20 E., MDB&M.
	•
	Month and Day
10. Use was permitted from January 1 Month and Day	to December 31 of each year.  Month and Day
11. Description of proposed works. (Under the provi	sions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.	Well pump, motor, and distribution system  State manner in which water is to be diverted, i.e. diversion structure,
	and a second a second and
ditches, pipes and flumes, or drilled well; etc.	•
12. Estimated cost of works\$15,000	
13. Estimated time required to construct worksComp.	leted

15. Remarks: For use other than irrigation or sto	
consumptive use:	<i>.</i>
See Attached	
***************************************	n S/Rruca P Scott
jr/bk	By S/Bruce R Scott  Bruce R. Scott, Resource Concepts, Inc.
Compared Cm/jk Jr/bk	340 North Minnesota Street Carson City, Nevada 89703-4152
Protested	
ADDDOVAL	,
APPROVAL	OF STATE ENGINEER
This is to certify that I have examined the for following limitations and conditions:	regoing application, and do hereby grant the same, subject to the
source will be affected by the change particle 2-inch opening and a totalizing meter pipeline near the point of diversion placed to beneficial use. The totaliz water begins or before the proof of come a valve must be installed and maintaine an area designated by the State Engineeright to regulate the use of the water this permit does not extend the	h the understanding that no other rights on the proposed herein. The well shall be equipped with must be installed and maintained in the discharge and accurate measurements must be kept of water sing meter must be installed before any use of the mpletion of work is filed. If the well is flowing, ed to prevent waste. This source is located within er pursuant to NRS 534.030. The State retains the enterin granted at any and all times.
The total combined duty of water 60640 and 60641 shall not exceed 4045. This permit is subject to the "Meddated August 25, 1994, between Gardner The issuance of this permit in neplace of use of an existing water purpose."  The amount of water to be changed shall be limited.	not waive the requirements that the permit holder ral and local agencies. under Permits 60635, 60636, 60637, 60638, 60639,
The issuance of this permit does obtain other permits from State, Feder The total combined duty of water 50640 and 60641 shall not exceed 4045. This permit is subject to the "Mediated August 25, 1994, between Gardner The issuance of this permit in no place of use of an existing water purport amount of water to be changed shall be limited exceed.  3.35	not waive the requirements that the permit holder cal and local agencies.  Tunder Permits 60635, 60636, 60637, 60638, 60639, 2 million gallons annually.  Morandum of Understanding Regarding Water Service ville Town Water Company and the Town of Minden.  No way allows water service to anywhere within the cryover without the written consent of the water do not to the amount which can be applied to beneficial use, and not to accubic feet per second, but not to exceed 790.29 million.
The issuance of this permit does obtain other permits from State, Feder The total combined duty of water 50640 and 60641 shall not exceed 4045.  This permit is subject to the "Mediated August 25, 1994, between Gardner The issuance of this permit in no place of use of an existing water purpose of the amount of water to be changed shall be limited exceed	not waive the requirements that the permit holder cal and local agencies.  under Permits 60635, 60636, 60637, 60638, 60639, 2 million gallons annually.  morandum of Understanding Regarding Water Service"  rville Town Water Company and the Town of Minden.  so way allows water service to anywhere within the rveyor without the written consent of the water due to the amount which can be applied to beneficial use, and not to
The issuance of this permit does obtain other permits from State, Feder The total combined duty of water 50640 and 60641 shall not exceed 4045. This permit is subject to the "Mediated August 25, 1994, between Gardner The issuance of this permit in no place of use of an existing water purporty of the amount of water to be changed shall be limited exceed.  3.35  gallons annually.  Work must be prosecuted with reasonable diligence and the prosecuted with reasonable diligence.	not waive the requirements that the permit holder cal and local agencies.  Tunder Permits 60635, 60636, 60637, 60638, 60639, 2 million gallons annually.  Morandum of Understanding Regarding Water Service circulter Town Water Company and the Town of Minden.  No way allows water service to anywhere within the creeyor without the written consent of the water of the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 790.29 million and be completed on or before
The issuance of this permit does obtain other permits from State, Feder The total combined duty of water 50640 and 60641 shall not exceed 4045. This permit is subject to the "Mediated August 25, 1994, between Gardner The issuance of this permit in no place of use of an existing water purporty of the amount of water to be changed shall be limited exceed.  3.35  gallons annually.  Work must be prosecuted with reasonable diligence and the prosecuted with reasonable diligence.	not waive the requirements that the permit holder cal and local agencies.  Tunder Permits 60635, 60636, 60637, 60638, 60639, 2 million gallons annually.  Morandum of Understanding Regarding Water Service ville Town Water Company and the Town of Minden.  No way allows water service to anywhere within the cryotor without the written consent of the water do not to the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 790.29 million and be completed on or before
The issuance of this permit does obtain other permits from State, Feder The total combined duty of water 60640 and 60641 shall not exceed 4045. This permit is subject to the "Mediated August 25, 1994, between Gardner The issuance of this permit in no place of use of an existing water purpose.  The amount of water to be changed shall be limited exceed	not waive the requirements that the permit holder cal and local agencies.  Tunder Permits 60635, 60636, 60637, 60638, 60639, 2 million gallons annually.  Morandum of Understanding Regarding Water Service circulter Town Water Company and the Town of Minden.  No way allows water service to anywhere within the creeyor without the written consent of the water of the amount which can be applied to beneficial use, and not to cubic feet per second, but not to exceed 790.29 million and be completed on or before
The issuance of this permit does obtain other permits from State, Feder The total combined duty of water 60640 and 60641 shall not exceed 4045. This permit is subject to the "Meddated August 25, 1994, between Gardner The issuance of this permit in no place of use of an existing water purport amount of water to be changed shall be limited exceed	not waive the requirements that the permit holder cal and local agencies. Tunder Permits 60635, 60636, 60637, 60638, 60639, 2 million gallons annually. Two morandum of Understanding Regarding Water Service could be reville Town Water Company and the Town of Minden. Two way allows water service to anywhere within the reveyor without the written consent of the water of the amount which can be applied to beneficial use, and not to cubic feet per second.  The permits 60635, 60636, 60637, 60638, 60639, 2005  The permits 60635, 60636, 60637, 60638, 60639, 2006  The permits 60635, 60636, 60637, 60638, 2006  The permits 60635, 60637, 60638, 2006  Th
The issuance of this permit does obtain other permits from State, Feder The total combined duty of water 60640 and 60641 shall not exceed 4045. This permit is subject to the "Meddated August 25, 1994, between Gardner The issuance of this permit in no place of use of an existing water purpose. The amount of water to be changed shall be limited exceed	not waive the requirements that the permit holder cal and local agencies. Tunder Permits 60635, 60636, 60637, 60638, 60639, 2 million gallons annually. Two morandum of Understanding Regarding Water Service could be an an annually and the Town of Minden. Two way allows water service to anywhere within the conveyor without the written consent of the water do not to the amount which can be applied to beneficial use, and not to cubic feet per second.  The permits of the permits of the water within the consent of the water do not be applied to beneficial use, and not to cubic feet per second.  The permits of the permits of the permits of the water do not be applied to beneficial use, and not to cubic feet per second.  The permits of the permits of the permits of the permits of the water do not be applied to beneficial use, and not to cubic feet per second.  The permits of the permits
The issuance of this permit does obtain other permits from State, Feder The total combined duty of water 60640 and 60641 shall not exceed 4045. This permit is subject to the "Med dated August 25, 1994, between Gardner The issuance of this permit in no place of use of an existing water purport of the amount of water to be changed shall be limited exceed	not waive the requirements that the permit holder ral and local agencies.  under Permits 60635, 60636, 60637, 60638, 60639, 2 million gallons annually.  morandum of Understanding Regarding Water Service" rille Town Water Company and the Town of Minden. Toward allows water service to anywhere within the processor without the written consent of the water of the amount which can be applied to beneficial use, and not to beneficial use, and not to be applied to beneficial use, and not to
The issuance of this permit does obtain other permits from State, Feder The total combined duty of water 60640 and 60641 shall not exceed 4045. This permit is subject to the "Mediated August 25, 1994, between Gardner The issuance of this permit in no place of use of an existing water purpose. The amount of water to be changed shall be limited exceed	not waive the requirements that the permit holder ral and local agencies.  under Permits 60635, 60636, 60637, 60638, 60639, 2 million gallons annually.  morandum of Understanding Regarding Water Service" rille Town Water Company and the Town of Minden. Town way allows water service to anywhere within the preveyor without the written consent of the water of the amount which can be applied to beneficial use, and not to exceed 790.29 million.  Loubic feet per second, but not to exceed 790.29 million and be completed on or before
The issuance of this permit does obtain other permits from State, Feder The total combined duty of water 60640 and 60641 shall not exceed 4045. This permit is subject to the "Meddated August 25, 1994, between Gardner The issuance of this permit in no place of use of an existing water purport amount of water to be changed shall be limited exceed	not waive the requirements that the permit holder ral and local agencies.  under Permits 60635, 60636, 60637, 60638, 60639, 2 million gallons annually.  morandum of Understanding Regarding Water Service riville Town Water Company and the Town of Minden.  to way allows water service to anywhere within the reveyor without the written consent of the water of to the amount which can be applied to beneficial use, and not to exceed 790.29 million and be completed on or before.  August 28, 1996  September 28, 1996  August 28, 2005  Red on or before.  N/A  IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.

Town of Minden November 4, 1994

Question 15 - Remarks

Please use the map on file at the Division of Water Resources under Application 49954 to support the proposed and existing points of diversion and the existing place of use.

This is one of several applications being filed by The Town of Minden to change the place of use of their existing underground water rights. These applications are being filed in conjunction with similar requests by the Gardnerville Town Water Company. The purpose of all the applications to change is to allow their water rights to be used to supplement existing water systems and provide for the future potable water needs of growth in the Carson Valley. The Carson Valley Comprehensive Water Plan shows a future population at "build out" of 82,000. The Water Plan further indicates that the water rights presently held by The Town of Minden and the Gardnerville Town Water Company will be needed to meet the associated water demand under the needs indicated in this Carson Valley Water Plan. With the concurrence and support of Douglas County these applications will allow the future growth within the place of use to be served utilizing water rights which have already been established.

The estimated time to construct all of the improvements and place the water to full beneficial use will be directly related to reaching the master plan level of development as projected in the Comprehensive Water Plan.

. .

## **ATTACHMENT**

## Question 7 - Proposed Place of Use

Sections 1, 2, 3, 10, 11, 12, 13, 14, 15, 22, 23, 24, 25, 26, 27, 34, 35, and 36, Township 14 North, Range 19 East, M.D.B.&M.,

Sections 1, 2, 3, E 1/2 Section 4, NE 1/4 and NW 1/4 SE 1/4, and East 1/2 SE 1/4 Section 9, Sections 10, 11, 12, 13, 14, 15, and East 1/2 NE 1/4, and East 1/2 SE 1/4 Section 16, and East 1/2 NE 1/4, and East 1/2 SE 1/4 Section 21, Sections 22, 23, 24, 25, 26, 27, East 1/2 Section 28, East 1/2 Section 33, Sections 34, 35, and 36, Township 13 North, Range 19 East, M.D.B.&M.,

Sections 1, 2, 3, NE 1/4 and NW 1/4 SE 1/4 and East 1/2 SE 1/4 Section 4, Sections 10, 11, 12, 13, 14, 15, the NE 1/4 and Portions of the NW 1/4, SE 1/4 and the SW 1/4 of Section 22, Sections 23, 24, and 25, the NE 1/4 and Portions of NW 1/4, SW 1/4, and SE 1/4 of Section 26, the NE 1/4 and Portions of NW 1/4 and SE 1/4 of Section 36, Township 12 North, Range 19 East, M.D.B.&M.,

Sections 1 through 36, Township 12 North, Range 20 East, M.D.B.&M.,

Sections 1 through 36, Township 13 North, Range 20 East, M.D.B.&M.,

West 1/2 Section 5, Sections 6, 7, 8, and Sections 13 through 36, Township 14. North, Range 20 East, M.D.B.&M.,

Sections 18, 19, 30, and 31, Township 14 North, Range 21 East, M.D.B.&M.,

Sections 6, 7, 18, 19, 30, and 31, Township 13 North, Range 21 East, M.D.B.&M.,

Sections 6, 7, 18, 19, and 30, Township 12 North, Range 21 East, M.D.B.&M.,

all in Douglas County, Nevada.

